

IW200

Dual 8" In-Wall Subwoofer with Sealed Enclosure

SOUNDTUBE
ENTERTAINMENT



Specifications: IW200

Mounting hardware included

Nominal Impedance	4 Ohms
Impedance (min)	4 Ohms
Frequency Response (1)	25 Hz - 160 Hz
Frequency Response (± 3 dB)	25 Hz - 160 Hz
Recommended Power	350 Watts
Transducer - Low Frequency Driver	(2x) 8" Mica-Graphite Polypropylene w/ NBR Surround
Colors	White
Height (SM = Height)	1828.8 mm / 72"
Diameter (SM = Width)	365.8 mm / 14.4"
Depth	86.36 mm / 3.4"
Cutout Width/Diameter	222.3 mm / 8.75"
Mounting Hole Diameter	Enclosure mounts between 16" on-center 2" x 4" studded wall
Mounting Depth	Enclosure mounts between 16" on-center 2" x 4" studded wall
Weight	27.2 kg / 60 lbs (Subwoofer and Back box)
Shipping Weight	29.5 kg / 65 lb
Owner's Manual - color	Download Owners Manual
Regulatory - CE	approved
Regulatory - RoHS	approved

IW200

Dual 8" In-Wall Subwoofer with Sealed Enclosure

SOUNDTUBE
ENTERTAINMENT

Description

Create deep, accurate bass without altering a room's design. Easily mount between standard wall studs. Contains patented subwoofer technology. Blend into any room's decor. Combine with the SolidDrive to create the ultimate "in-wall" home theater system.**

The IW-200 is an in-wall subwoofer with a sealed enclosure. The sub enclosure box mounts easily between 16" on-center wall studs, and its vibration-isolating outer foam layer virtually eliminates the risk of buzzing and wall rattling. Recommended for rooms up to 3,300 cubic feet in volume. Larger rooms can simply use multiple IW-200 subwoofers.

Features a 7-year warranty.

Patented SoundTube Technologies

SoundTube and MSE Audio Group constantly develop new technologies that enhance audio product performance. SoundTube innovations are protected by multiple U.S. and

international patents, which explicitly cover SoundTube dispersion, enclosure and dome technologies. MSE Audio Group actively defends its patents in order to protect SoundTube resellers and end users.

Technical Data and Specification Tools

Technical Data

SoundTube Entertainment strives to provide complete and effective technical information and data to dealers, engineers and designers. All data are available from SoundTube Entertainment or at www.soundtube.com. Technical data and downloads include: EASE™ data - 3-D polar plots. EASE™ Address - 2-D modeling for distributed systems Autodesk® Revit® software Tech Sheets - Technical information and architectural specs for system engineers SoundTubeSPEC™ - Proprietary speaker placement software

Data Acquisition and Verification

All data for SoundTube speakers are independently

collected from and verified by NWAALabs (www.nwaalabs.com) using their proprietary MACH testing system. All data are collected and analyzed according to ASTM, ISO and AES standards using EASRA, TEF and MLSSA. Full balloon data including both phase and magnitude are compiled into a variety of formats including EASE 4.x, GLL and CLF.

Architectural Specifications

No specifications currently.

SoundTube

8005 W. 110th St. | Suite 208
Overland Park, KS 66210
Phone 9136635600
Fax 8556635600
Toll Free 8556635600
<http://soundtube.mseaudio.com>
All SoundTube products come with a 5-year limited warranty.

IW200

Dual 8" In-Wall Subwoofer with
Sealed Enclosure

SOUNDTUBE
ENTERTAINMENT
