

TSB3.0

2-Way Ultra-Thin Soundbar with
EVT™ Intelligibility Control

SOUNDTUBE
ENTERTAINMENT



Specifications: TSB3.0

Mounting hardware included

Nominal Impedance	8 Ω
Sensitivity dB @ 1W/1M (2)	90 dB
Frequency Response (\pm 3 dB)	75 Hz - 20 kHz
Recommended Power	15 - 100 W / Channel (3x)
Tweeter - part	3/4" Silk/Synthetic Soft Dome
Woofers - part	3" Ultra-Long Throw Polypropylene w/ NBR Surround
Driver - part	1" Patented Woven Synthetic Soft Dome Spatial Field Expanders™
Height (SM = Height)	171.45 / 6.75"
Diameter (SM = Width)	1092.2 mm / 43"
SM Depth (Including Bracket)	38.1 mm / 1.5"
Weight	6.8 kg / 15 lbs
Shipping Weight	9.1 kg / 20 lbs
Owner's Manual - color	Download Owners Manual
Regulatory - CCC	approved

TSB3.0

2-Way Ultra-Thin Soundbar with
EVT™ Intelligibility Control

SOUNDTUBE
ENTERTAINMENT

Description

The TSB3.0 is a truly ultra-thin, three-channel soundbar - measuring only one and one half inches thick where the bar meets the TV.

The TSB features Phase Tech's "EVT"- enhanced voice technology circuitry. So next time you're watching a film and can't make out the dialog, simply flip the EVT switch and the frequencies associated with human speech intelligibility will be bumped up - bringing that buried dialog into the foreground. The TSB also features Phase Tech's "SFE"-spatial field expander, side drivers which create a wide, enveloping soundstage that extends far beyond the confines of the speaker cabinet.

The TSB comes with a wall mount and tabletop stand.

For optimal sound, pair the TSB with the [P3-35](#) 3-Channel amplifier.

Patented SoundTube Technologies

SoundTube and MSE Audio Group constantly develop new technologies that enhance audio product

performance. SoundTube innovations are protected by multiple U.S. and international patents, which explicitly cover SoundTube dispersion, enclosure and dome technologies. MSE Audio Group actively defends its patents in order to protect SoundTube resellers and end users.

Technical Data and Specification Tools

Technical Data

SoundTube Entertainment strives to provide complete and effective technical information and data to dealers, engineers and designers. All data are available from SoundTube Entertainment or at www.soundtube.com.

Technical data and downloads include: EASE™ data - 3-D polar plots. EASE™ Address - 2-D modeling for distributed systems Autodesk® Revit® software Tech Sheets - Technical information and architectural specs for system engineers SoundTubeSPEC™ - Proprietary speaker placement software

Data Acquisition and Verification

All data for SoundTube speakers are independently collected from and verified by NWAALabs (www.nwaalabs.com) using their proprietary MACH testing system. All data are collected and analyzed according to ASTM, ISO and AES standards using EASRA, TEF and MLSSA. Full balloon data including both phase and magnitude are compiled into a variety of formats including EASE 4.x, GLL and CLF.

Architectural Specifications

No specifications currently.

SoundTube

8005 W. 110th St. | Suite 208
Overland Park, KS 66210
Phone 9136635600
Fax 8556635600
Toll Free 8556635600
<http://soundtube.mseaudio.com>
All SoundTube products come with a 5-year limited warranty.

TSB3.0

2-Way Ultra-Thin Soundbar with
EVT™ Intelligibility Control

SOUNDTUBE
ENTERTAINMENT
